

LAW OFFICES
414 UNION STREET, SUITE 1600
POST OFFICE BOX 198062
NASHVILLE, TENNESSEE 37219

Jon E. Hastings (615) 252-2306 Fax: (615) 252-6306 Email: jhasting@bccb.com

March 6, 1998

K. David WaddellExecutive SecretaryTennessee Regulatory Authority460 James Robertson ParkwayNashville, TN 37243-0505

In Re:

Bellsouth Telecommunications, Inc.'s Entry into Long Distance Interlata Service in Tennessee Pursuant to Section 271 of the Telecommunications Act of 1996

Docket No. 97-00309

Dear David:

Enclosed please find an original and thirteen (13) copies of MCI Telecommunications Corporation's Local Competition Users Group (LCUG) Service Quality Measurements (SQM). Copies have been served on all parties of record.

Very truly yours,

BOULT, CUMMINGS, CONNERS & BERRY, PLC

Jon E. Hastings

Jan Hastings

JEH/sja Enclosures

CERTIFICATE OF SERVICE

The undersigned certifies that a copy of the foregoing has been hand delivered or mailed to the following persons on this the 13th day of March, 1998:

Guy M. Hicks
BellSouth Telecommunications, Inc.
333 Commerce Street, Suite 2101
Nashville, TN 37201-3300

Dennis McNamee, Esquire Tennessee Regulatory Authority 460 James Robertson Parkway Nashville, TN 37243-0500

Dana Shaffer, Esq. NextLink 105 Molloy Street, #300 Nashville, TN 37201

H. LaDon Baltimore, Esq. Farrar & Bates 211 Seventh Ave. No., #320 Nashville, TN 37219-1823

Charles B. Welch, Esq. Farris, Mathews, et al. 511 Union Street, #2400 Nashville, TN 37219

Val Sanford, Esq. Gullett, Sanford, et al. 230 Fourth Ave. N., 3rd Floor Nashville, TN 37219-8888

L. Vincent Williams, Esq. Consumer Advocate Division 426 5th Avenue, N., 2nd Floor Nashville, TN 37243

Thomas E. Allen Intermedia Communications 3625 Queen Palm Drive Tampa, FL 33619 Carolyn Tatum Roddy, Esq. Sprint Communications 3100 Cumberland Circle, N0802 Atlanta, GA 30339

Guilford Thornton, Esq. Stokes & Bartholomew 424 Church Street Nashville, TN 37219

D. Billye Sanders, Esq.Waller, Lansden, Dortch & Davis511 Union Street, #2100Nashville, TN 37219-1750

Henry Walker, Esq.
Boult, Cummings, Conners & Berry PLC
414 Union Street, Suite 1600
Nashville, TN 37219

Enrico C. Soriano Kelley, Drye & Warren 1200 19th St., NW, #500 Washington, D.C. 20036

Andrew O. Isar, Esq. Telecommunications Resellers Association 4312 92nd Ave., NW Gig Harbor, WA 98335

Donald L. Scholes Branstetter, Kilgore, et al. 227 Second Avenue North Nashville, TN 37219

Jan Hastings

Jon E. Hastings

LOCAL COMPETITION USERS GROUP (LCUG)

SERVICE QUALITY MEASUREMENTS (SQM)

September 26th, 1997 Membership: AT&T, Sprint, MCI, LCI, WorldCom

Version 6.1

Service Quality Measurements Table Of Contents

Introduction	Page 3
Business Rules	Page 5
Executive Overview:	Page 7
Pre-Ordering (PO)	Page 8
Ordering and Provisioning (OP)	Page 8
Maintenance and Repair (MR)	Page 10
General (GE)	Page 12
Billing (BI)	Page 13
Operator Services and Directory Assistance (OS, DA)	Page 14
Network Performance (NP)	Page 15
Interconnect / Unbundled Elements and Combos (IUE)	Page 16
Formula Quick Reference Guide	Page 17
Measurement Detail:	Page 20
Pre-Ordering (PO)	Page 21
Ordering and Provisioning (OP)	Page 23
Maintenance and Repair (MR)	Page 33
General (GE)	Page 41
Billing (BI)	Page 45
Operator Services and Directory Assistance (OS, DA)	Page 49
Network Performance (NP)	Page 51
Interconnect / Unbundled Elements and Combos (IUE)	Page 52
Appendix A: Reporting Dimensions	Page 5
Appendix B: Glossary	Page 5

Service Quality Measurements Introduction

Background:

On August 8, 1996, the Federal Communications Commission released its First Report and Order (the Order) in CC Docket No. 96-98 (Implementation of the Local Competition Provisions of the Telecommunications Act of 1996). The Order establishes regulations to implement the requirements of the Telecommunications Act of 1996. Those regulations are intended to enable potential competitive local exchange carriers (CLECs) to enter and compete in the local telecommunications markets. One requirement found to be "absolutely necessary" and "essential" to successful entry is that the incumbent local exchange carriers (ILECs) provide nondiscriminatory access to their operations support systems (OSSs). Many variations of interim OSS GUIs (graphic user interfaces), and electronic gateways have been or are being offered by the ILECs. These interim systems have not provided the capability for the CLECs to provide the same customer experience for their customer as compared to what the ILECs do for theirs. The timeliness and accuracy of information processed by the ILEC for pre-ordering, ordering and provisioning, maintenance and repair, unbundled elements, and billing have not, to date, been satisfactory. The service delivery problems exist regardless whether total service resale or unbundled elements are utilized. Final solutions for application-to-application real time system interfaces are evasive because of the complexity, the diversity of committed implementation schedules and lack or inconsistent use of industry guidelines.

On February 12, 1997 the Local Competition Users Group (LCUG) issued their "Foundation For Local Competition: Operations Support Systems Requirements For Network Platform and Total Services Resale. The core principles contained in the document are: Service Parity, Performance Measurement, Electronic Interfaces, Systems Integrity Notification of Change, and Standards Adherence. Each of these are significant to ensure CLEC customers can receive at least equal levels of service to those the ILEC provides to its own customers. The LCUG group indicated that is was essential that a plan be developed to measure the ILECs performances for all the essential OSS categories (e.g. pre-ordering, ordering and provisioning, maintenance and repair, network performance, unbundled elements, operator services and directory assistance, system performance, service center availability and billing). To that end, an LCUG sub-committee was formed with a charter to address measurements and metrics. The subcommittee jointly developed a comprehensive list of potential measurements which was developed and shared among the team members for review. Each committee member researched an assigned measurement group for the purpose of proposing consolidation and other modifications. The subcommittee discussed each measurement and considered existing regulatory requirements (minimum service standards) as well as good business practices in arriving at the recommended measurement and extent of detail to be reported. The service quality measurement (SQM) goals, or benchmark levels of performance, were established to provide a nondiscrimination standard in the absence of directly comparative ILEC results. Establishing precise benchmark level was difficult because the ILECs have been reluctant to share actual results. The goals, therefore, were based upon best of class and/an assessment of the necessary performance to support a meaningful opportunity for CLECs to compete. The SQM goals may change if the ILECs share historical and/or self report current results.

Measurement Plans:

A measurement plan, capable of monitoring for discriminatory behavior, must incorporate at least the following characteristics; 1) it permits direct comparisons of the CLEC and CLEC industry experience to that of the ILEC though recognized statistical procedures, 2) it accounts for potential performance variations due to differences in service and activity mix, 3) it measures not only retail services but experiences with UNEs and OSS interfaces, and 4) it produces results which demonstrate the nondiscriminatory access to OSS functionality is being delivered across all interfaces and a broad range of resold services and unbundled elements. The measures employed must address availability, timeliness of execution, and accuracy of execution.

Service Quality Measurements Introduction

It is essential that the CLECs be able to determine that they are receiving at least equal treatment to that ILECs provide to their own retail operations or their local service affiliates. Benchmarks and performance standards that are voluntarily adopted by the CLECs and ILECs, or ordered by commissions, need to clearly demonstrate that new service providers are receiving nondiscriminatory treatment.

This document discusses measurements at both a summary level (Executive Overview) and at a level suitable for starting the implementation process (Measurement Detail)

Service Quality Measurements Business Rules

Test for Parity:

ILEC Reports Results For Own Local Operations:

Both the average (mean) result and the variance of the measurement result for the ILEC and the CLEC should be compared to establish that the CLEC result is no worse than the ILEC's result.

ILEC Results Are Not Reported Or Results Are Incomplete:

The mean result for CLEC must be compared and a determination made that the CLEC result is no worse than the benchmark performance level. The benchmark performance to be employed in the comparison is the result produced via special study by an ILEC (as described below) or, in the absence of such a study result, the LCUG default performance benchmarks.

Benchmarking Study Requirements:

A special study may be optionally utilized by the ILEC to establish the benchmark performance level whenever a reasonable ILEC retail analog does not exist. When the ILEC performs a benchmarking study, it must be based upon equivalent experiences of that ILEC and conform to the following minimum requirements: (1) a benchmark result is provided for each reporting dimension described for the measurement; (2) the mean, standard error, and number of sample points are disclosed for each benchmark result; (3) the study process and benchmark results may be subjected to independent audit; (4) update to the benchmark result will be submitted whenever changes may reasonably be expected to impact the study results or six months has elapsed since the conduct of the prior study, whichever occurs earlier. Unless directly ordered by the appropriate regulatory commission, no ILEC benchmark will be utilized in lieu of an LCUG benchmark without mutual agreement of the CLECs impacted by use of the benchmark

Reporting Expectations and Report Format:

CLEC results for the report month are to be shown in comparison to the ILEC result for the same period with an indication, for each measurement result, where the CLEC result is lesser in quality compared to the ILEC (based upon the test for parity described in the preceding). Such detailed results will be reported only to the CLEC unless written permission is provided to do otherwise. Furthermore, reporting to the individual CLECs should include, for each measure, a representation of the dispersion around the average (mean) of the measured results for the reporting period (e.g. percent of 1-4 lines installed in the 1st day, 2nd day, 3nd day, and > 10 days, etc.) In addition to providing the preceding detailed results, the ILEC must also supply, to each interested CLEC, a report showing the ILEC performance for each measure in comparison to both CLEC industry in aggregate and the performance delivered to any affiliate(s) of the ILEC.

Delivery of Reports and Data:

Reports are to be made available to CLEC by the 5th scheduled business day following the close of the calendar report month. If requested by the CLEC, data files of raw data are to be transmitted by the ILEC to the CLEC on the 5th scheduled business day pursuant to mutually acceptable format, protocol and transmission media.

Geographic Reporting:

Measurement data should be reported on a natural geographic area that allows prudent operational management decisions to be made and does not obscure actual performance levels. Presently ILECs report at levels as discrete as individual exchanges (Central Office) to as aggregated as the Region level. The recommended default level of reporting is the MSA although further detail should be required where it improves the ability to make meaningful comparisons..

Service Quality Measurements Business Rules

Verification and Auditing:

By joint request of more than one CLEC, an audit of the data collecting, computing and reporting processes must be permitted by the ILEC. The ILEC must also permit an individual CLEC to audit or examine its own results pursuant to terms no more restrictive than those established between the CLEC and the ILEC in the interconnection agreement for the operating area underlying the reported results.

During implementation of the measurement reporting, validation of results of data collection, measurement result computation and report production will be necessary. The ILEC must permit such validation activities and not subsequently contend that an individual CLEC has undertaken an audit either under the terms of the measurement plan or pursuant to the terms of the CLEC's interconnection agreement.

Adaptation:

Technology, market conditions and industry guidelines/standard continue to evolve. LCUG reserves the right to modify the content of this document, adding, deleting or making modification, as necessary to reflect such changes.

This Executive Overview section:

- Provides a summary of the detailed requirements
- Enables a quick overview and understanding of the proposed LCUG measurements
- Summarizes the Business Implications associated with each measurement
- Accommodates a target audiences who have a need to know about the measurements but not the specific details

Executive Overview:	Page 7
Pre-Ordering (PO)	Page 8
Ordering and Provisioning (OP)	Page 8
Maintenance and Repair (MR)	Page 10
General (GE)	Page 12
Billing (BI)	Page 13
Operator Services and Directory Assistance (OS, DA)	Page 14
Network Performance (NP)	Page 15
Interconnect / Unbundled Elements and Combos (IUE)	Page 16
Formula Quick Reference Guide	Page 17

Pre-Ordering (PO)

Function:	
Average Response Interval for Pre-Ordering Information	
Business Implications:	
 likely service delivery intervals, the telephone nu address while the customer (or potential custome It is critical that the CLEC be perceived as equall customer service agent This measure is designed to monitor the time recinformation necessary to establish and modify se Comparison to the ILEC results allow conclusion 	r) is on the phone y competent, knowledgeable and fast as an ILEC quired for CLECs to obtain the pre-ordering rvice is whether an equal opportunity exists for the CLEC impared to the ILEC) when a retail customer calls the
Measurements:	Results Detail:
Average Response Interval for Pre-Ordering Information	Major Pre-ordering Query Type

Ordering and Provisioning (OP)

Fı	inction:	
Or	der Completion Intervals	
Bı	usiness Implications:	
•	at that point and will be dissatisfied if the re The "average completion interval" measure integrated and operable service components resale or unbundled network elements are et When the service delivery interval of the IL can be drawn regarding whether or not CLE customers	EC is measured for comparable services, then conclusion CCs have a reasonable opportunity to compete for ecent completed on time" may prove useful in detecting
-	Measurements:	Results Detail:
•	Mean Completion Interval Percent Orders Completed on Time	By Major Service Family and Order Type

Fu	inction:	
Or	der Accuracy	
Bu	ısiness Implications:	
•	features specified	of the provisioning work performed by the ILEC in response
- 4	Measurements:	Results Detail:
•	Percent Order Accuracy	By Major Service Family

Fu	Function:		
Ord	Order Status		
Bu	Business Implications:		
•	 When a customers calls their service providers, they expect to be able to promptly get the information regarding the progress on their order(s) When changes must be made, such as to the expected delivery date, customers expect that they will be 		
 immediately notified so that they may modify their own plans The order status measurements monitor, when compared to the ILEC result, that the CLEC has timely access to order progress information so that the customer may be updated or notified, early on, when changes and rescheduling are necessary 			
	Measurements: Results Detail:		
•	Mean Reject Interval	By Status Type and Order Type	
•	Mean FOC Interval		
•	Mean Jeopardy Interval		
•	Mean Completion Interval		
•	Percent Jeopardies Returned		

Function:	
Held Orders	
Business Implications:	
 Customers expect that work will be completed will There must be assurances that the average period completion, is no worse for the CLEC when completed the complete or the complete	that CLEC orders are held, due to a delayed
Measurements:	Results Detail:
 Mean Held Order Interval Percent Orders Held ≥ 90 Days Percent Orders Held ≥ 15 Days 	By Major Service Family and Reason for Hold

Maintenance and Repair (MR)

Function:	
Time To Restore	
Business Implications:	
detected	e to the normal operating parameters whenever troubles are ervice problem, the greater the customer dissatisfaction
Measurements:	Results Detail:
Mean Time to Restore	By Major Service Family and Trouble Type

Function:		A CANADA AND A CAN
Frequency of Repeat Troubles		
Business Implications:		
 This measurement, when gathered for b are competitively disadvantaged (vis-à-occurrence of customer troubles not bei Differences in this measure may indicat the initial resolution of troubles or, in the supplied are of inferior quality 	vis the ILEC) as a result ing resolved in the first a te that the CLEC is receive	of experiencing more frequent ttempt to repair the trouble ving inferior maintenance support in icate that the network components
Measurements:		Results Detail:
Repeat Trouble Rate	By Maio	or Service Family and Trouble Type

Function:	
Frequency of Troubles (Troubles per 100 Lines)	
Business Implications:	
 Customers demand high quality service performance from their supplier and differentials in performance are quickly recognized throughout the market place When measured for both the ILEC and CLEC and compared, this measure can be used to establish that CLECs are not competitively disadvantaged, compared to ILEC, as a result of experiencing more frequent incidents of trouble reports Disparity in this measure may indicate differences in the underlying quality of the network components supplied 	
Measurements:	Results Detail:
Trouble Rate	By Major Service Family and Trouble Type

Function:	
Estimated Time To Restore Met	
Business Implications:	
 When customers experience trouble on working restored within the time frame promised When this measure is collected for the ILEC and that CLECs are receiving equally reliable (as correquired to complete service repairs 	CLEC and then compared, it can be used to establish mpared to the ILEC operations) estimates of the time
Measurements:	Results Detail:
Percentage of Customer Troubles Resolved Within Estimate	By Major Service Family and Trouble Type

General (GE)

Function:	
Systems Availability	
Business Implications:	
CLEC operations	pported by OSS of the ILEC, is absolutely essential to onality is at least as accessible to the CLEC as to the ILEC
Measurements:	Results Detail:
Percent System Availability	By Function Interface

Function:			
Center Responsiveness			
Business Implications:			
 When CLECs experience operational problems support by the ILEC is required in order to assi Any delay in responding to CLEC center requenumber) will, in turn, adversely impact the CLEC customer service agent This measure, when gathered for both the CLE of support calls from CLECs is at least as responses assistance (e.g., calling the business office of the support calls. 	are that the CLEC customests for support (e.g., requests for support (e.g., requester who need and ILEC, supports meansive as for calls by ILE are ILEC or call the ILEC	ners are not advertiest for a vanity to nay be holding on tonitoring that ILIC retail customer to report service	sely impacted elephone n-line with the EC handling s seeking
Measurements:	Res	sults Detail:	
Mean Time to Answer Calls	By Support Cent	ter Provided	
Call Abandonment Rate			

Billing (BI)

Function:	
Timeliness Of Billing Record Delivery	
Business Implications:	
delivery of billing records must provide CL	ustomer or exchange access service, the timing of ILEC ECs with the opportunity to deliver timely bills in as timely ompetitive advantage would be realized by the ILEC
Measurements:	Results Detail:
Mean Time to Provide Recorded Usage	By Type of Usage (End User Direct Bill, End

Function:	
Accuracy of Billing Records	
Business Implications:	
customers, whether retail service or exchange acc	cy of the billing ultimately delivered to local service ess service customers
 Billing for the elements from which CLEC service only correct charges are paid 	es are constructed must be validated to assure that
	Results Detail: By Type of Usage (End User Direct Bill, End

Service Quality Measurements

Executive Overview

Operator Services and Directory Assistance (OS, DA)

Function:	
Speed To Answer	
Business Implications:	
 In order to assure that an unjustified competitive advantage is not created for the ILEC, the speed of answer delivered to CLEC retail customers, when the ILEC provides Operator Services or Directory Services on behalf of the CLEC, must be no slower than the speed of answer that the ILEC delivers to its own retail customers of equivalent local services 	
Measurements:	Results Detail:
 Measurements: Mean Time to Answer Operator Services and Directory Service Separately Reported Detailed, for eeach Ser by Machine and Human Answer Time 	

Network Performance (NP)

Function:	
Network Performance Parity	
Business Implications:	
UNE combinations are employed, will be heavi	particularly when either ILEC services are resold or ly influenced by the underlying quality of the ILEC
network performanceCustomers experience the quality of the service	
 network performance Customers experience the quality of the service Measurements: 	

Service Quality Measurements

Executive Overview

Interconnect / Unbundled Elements and Combos (IUE)

Function:		
Availability of Network Elements		
Business Implications:		
 Because CLECs use individual elements as well as element combinations to deliver unique services, it is essential that the UNE functionality operate properly due to the crucial role played by such elements in providing quality retail services This measure monitors individual network element or element combinations, that do not have an apparent retail analog, to assure that CLECs have a meaningful opportunity to compete through access to and use of element (or combination) functionality 		
Measurements:	Results Detail:	
Availability of Network Elements	By Unique UNE or UNE Combination employed (e.g., A-Link, D-Link, SCPs/Databases, SCPs/Databases Correctly Updated, Loop Combo Availability)	

Function:	estima in a como		i i i i i i i i i i i i i i i i i i i	
Performance of Network Elements				
Business Implications:		•		
• AS C.I.P.C.S HSC INCIVIQUAL CICHICIUS (AS WCI	i as element comon	ations, to active	i umque sei vices, ii	LIS
 As CLECs use individual elements (as well essential that the UNE functionality operate such elements in providing quality retail se 	es in a timely manne	er because of the	crucial role played	by
essential that the UNE functionality operate	es in a timely manne	Results I	crucial role played	l by

Service Quality Measurements Formula Quick Reference

	Measurement Description	Measurement Formula:
	By Business Process:	
	Pre-Ordering (PO)	
PO-1	Average Response Interval for Pre- Ordering Information	Average Response Interval = Σ [(Query Response Date & Time) - (Query Submission Date & Time)]/(Number of Queries Submitted in Reporting Period
	Ordering and Provisioning	
	(OP)	
OP-1	Average Completion Interval	Average Completion Interval = Σ[(Completion Date & Time) - (Order Submission Date & Time)]/(Count of Orders Completed in Reporting Period)
OP-2	Percent Orders Completed on Time	Percent Orders Completed on Time = (Count of Orders Completed within ILEC Committed Due Date) / (Count of Orders Completed in Reporting Period) x 100
OP-3	Percent Order Accuracy	Percent Order Accuracy = (Σ Orders Completed w/o Error) / (ΣOrders Completed) x 100
OP-4	Mean Reject Interval	Mean Reject Interval = Σ [(Date and Time of Order Rejection) - (Date and Time of Order Acknowledgment)]/(Number of Orders Rejected in Reporting Period)
OP-5	Mean FOC Interval	Mean FOC Interval = Σ[(Date and Time of Firm Order Confirmation) - (Date and Time of Order Acknowledgment)]/(Number of Orders Confirmed in Reporting Period)
OP-6	Mean Jeopardy Interval	Mean Jeopardy Interval = Σ[(Date and Time of Committed Due Date for the Order) - (Date and Time of Jeopardy Notice)]/(Number of Orders Jeopardized in Reporting Period)
OP-7	Mean Completion Interval	Completion Interval = Σ [(Date and Time of Notice of Completion Issued to the CLEC) - (Date and Time of Work Completion by ILEC)]/(Number of Orders Completed in Reporting Period)
OP-8	Percent Jeopardies Returned	Percent Jeopardies Returned = (Number of Orders Jeopardized in Reporting Period)/(Number of Orders Confirmed in Reporting Period)
OP-9	Mean Held Order Interval	Mean Held Order Interval = Σ (Reporting Period Close Date - Committed Order Due Date) / (Number of Orders Pending and Past The Committed Due Date) for all orders pending and past the committed due date
OP-10	Percent Orders Held ≥ 90 Days	(# of Orders Held for ≥ 90 days) / (Total # of Orders Pending But Not Completed) x 100
OP-11	Percent Orders Held ≥ 15 Days	(# of Orders Held for ≥ 15 days) / (Total # of Orders Pending But Not Completed) x 100

Service Quality Measurements Formula Quick Reference

	Maintenance and Repair (MR)	
MR-1	Mean Time to Restore	Mean Time To Restore = Σ [(Date and Time of Ticket Closure)-(Date and Time of Ticket Creation)] / (Count of Trouble Tickets Closed in Reporting Period)
MR-2	Repeat Trouble Rate	Repeat Trouble Rate = (Count of Service Access Line Generating More Than One Trouble Within a Continuous 30 Day Period) / (Number of Reports in the Report Period) x 100
MR-3	Trouble Rate	Trouble Rate = (Count of Initial & Repeated Trouble Reports in the Current Period) / (Number of Service Access Line in Service at End of the Report Period) x 100
MR-4	Percentage of Customer Troubles Resolved Within Estimate	Percentage of Customer Troubles Resolved Within Estimate = (Count of Customer Troubles Resolved By The Quoted Resolution Time and Date) / (Count of Customer Troubles Tickets Closed) x 100
	General (GE)	
GE-1	Percent System Availability	% System Availability = [(Hours Functionality is Available to CLECs During Report Period) / (Number of Hours Functionality was Scheduled to be Available During the Period)] x 100
GE-2	Mean Time to Answer Calls	Mean Time to Answer Calls = Σ [(Date and Time of Call Answer) - (Date and Time of Call Receipt)]/(Total Calls Answered by Center)
GE-3	Call Abandonment Rate	Call Abandonment Rate = (Count of Calls Terminated Before Answer During the Reporting Period)/(Count of All Calls Placed in Queue During the Reporting Period)
	Billing (BI)	
BI-1	Mean Time to Provide Recorded Usage Records	Mean Time to Provide Recorded Usage Records = { Σ[(Data Set Transmission Date)-(Date of Message Recording)]}/(Count of All Messages Transmitted in Reporting Period)
BI-2	Mean Time to Deliver Invoices	Mean Time to Deliver Invoices = Σ[(Invoice Transmission Date)-(Date of Scheduled Bill Cycle Close)]/(Count of Invoices Transmitted in Reporting Period)
BI-3	Percent Invoice Accuracy	Percent Invoice Accuracy = [(Number of Invoices Delivered in the Reporting Period that Have Complete Information, Reflect Accurate Calculations and are Properly Formatted) / Total Number of Invoices Issued in the Reporting Period) x 100
BI-4	Percent Usage Accuracy	Percent Usage Accuracy = [(Number of Usage Records Delivered in the Reporting Period That Reflected Complete Information Content and Proper Formatting) / (Total Number of Usage Records Transmitted)] x 100

Service Quality Measurements Formula Quick Reference

	Operator Services and Directory Assistance (OS, DA)	
OS/DA-1	Mean Time To Answer	Mean Time To Answer = $[\Sigma(Date and Time of Call Answer) - (Date and Time of Call Receipt)]/(Total Calls Answered on Behalf of CLECs in Reporting Period)$
	Network Performance (NP)	
NP-1	Network Performance Parity	Network Performance Parity = Σ(Network Performance Parameter Result)/(Number of Tests Conducted)
	Interconnect / Unbundled Elements and Combos (IUE)	
IUE-1	Function Availability	Function Availability ¹ = (Amount of Time ² a Functionality is Useable ¹ by a CLEC in a Specified Period)/(Total Time ² Functionality Was Intended to Be Useable)
		Notes: 1. These measure may also be expressed in the negative, that is, in term of unavailability. 2. In some instances, rather than time, the availability will be express in terms of transactions executed successfully compared to transactions attempted.
IÚE-2	Timeliness of Element Performance	Timeliness of Element Performance = (Number of Times Functionality Executes Successfully Within the Established Timeliness Standard)/(Number of Times Execution of Functionality was Attempted)

The Measurement Detail section:

- Provides explicit detail information for each measurement
- Provides business reasons for the measurement, required data elements, analogs to the existing ILEC business function and comparative results suggestions
- Is targeted at those individuals who need to know and understand the detail categories and measurement methodologies

Measurement Detail:	Page 20
Pre-Ordering (PO)	Page 21
Ordering and Provisioning (OP)	Page 23
Maintenance and Repair (MR)	Page 33
General (GE)	Page 41
Billing (BI)	Page 45
Operator Services and Directory Assistance (OS, DA)	Page 49
Network Performance (NP)	Page 51
Interconnect / Unbundled Elements and Combos (IUE)	Page 52
Appendix A: Reporting Dimensions	Page 56
Appendix B: Glossary	Page 58

Pre-Ordering (PO)

Function:	Average Response Interval for Pre-Ordering Information
Business Implications:	As an initial step of establishing service, the customer service agent must establish such basic facts as availability of desired features, likely service delivery intervals, the telephone number to be assigned, the current products and features the customer has, and the validity of the street address. Typically, this type of information is gathered from supporting OSS while the customer (or potential customer) is on the telephone with the customer service agent. Because pre-ordering activities are the first tangible contact that a customer may have with a CLEC, it is critical that the CLEC be perceived as equally competent, knowledgeable and fast as and ILEC customer service agent. This measure is designed to monitor the time required for CLECs to obtain the pre-ordering information necessary to establish and modify service. Comparison to the ILEC results allow conclusions whether an equal opportunity exists for the CLEC to deliver a comparable customer experience (compared to the ILEC) when a retail customer calls the CLEC with a service inquiry.
Measurement Methodology:	Average Response Interval = Σ [(Query Response Date & Time) - (Query Submission Date & Time)]/(Number of Queries Submitted in Reporting Period)
	For CLEC Results: The response interval for each pre-ordering query is determined by computing the elapsed time from the ILEC receipt of a query from the CLEC, whether or not syntactically correct, to the time the ILEC returns the requested data to the CLEC. Elapsed time is accumulated for each major query type, consistent with the specified reporting dimension, and then divided by the associated total number of query received by the ILEC during the reporting period. For ILEC Results: The ILEC computation is identical to that for the CLEC with the clarifications noted below.
	Other Clarifications and Qualification:
	 The elapsed time for an ILEC query is measured from the point in time when the ILEC customer service agent submits the request for identical or similar information into the ILEC OSS until the time when the ILEC OSS returns the requested information to the ILEC customer service agent. As additional pre-ordering functionality is established by industry, for example with respect to unbundled network elements, the reporting dimensions may be expanded. Elapsed time is measured in seconds and tenths of seconds rounded to the nearest tenth of a second Elapsed time is to be measured through automated rather than manual monitor and logging. The ILEC service agent entry of a request for pre-ordering information (to the ILEC OSS) is considered to be the equivalent of the ILEC receipt of a query from the CLEC. The ILEC OSS return of information, whether in hard copy or by display on the ILEC service agent's terminal is considered equivalent to the return of requested information to the CLEC.

Reporting Dimensions: Excluded Situations:		
 Pre-Ordering Query Types (See Appendix A Geographic Scope 		
Data Retained Relating To CLEC	Data Retained Relating To ILEC	
Experience:	Performance:	
 Report Month Query Identifier (e.g., unique tracking number) Query Receipt Date by ILEC Query Receipt Time by ILEC Query Type (per reporting dimension) Data Response Date Data Response Time Geographic Scope 	 Report Month Query Type (per reporting dimension) Mean response interval Standard error of the mean response interval Geographic Scope 	
Standard in Absence of ILEC Results: benchmark levels based upo the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the CLEC, then result(s) related to the following levels of permeaningful opportunity to contain the clean the contain the clean	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: • Other than a query when 30 or more telephone numbers are requested, the response interval will be less than or equal 2 seconds for 98% of the CLEC's queries received by the ILEC during the reporting period and no query will take more than 5 seconds. • For queries requesting 30 or more telephone numbers, the response interval is never to exceed two hours.	


Ordering and Provisioning (OP)

Function:			
Function: Business Implications:	In order to be successful in the marketplace, CLECs must be capable of delivering service in time frames equal or better than what the ILEC delivers for comparable service configurations. Likewise, when the CLEC commits to a due date for service delivery, the customer plans for service availability has been established and the customer will be dissatisfied if the requested service or feature is not delivered when promised. The "average completion interval" measure monitors the time required by the ILEC to deliver integrated and operable service components requested by the CLEC, regardless of whether services resale or unbundled network elements are employed. When the service delivery interval of the ILEC is measured for comparable services, then conclusion can be drawn regarding whether or not CLECs have a reasonable opportunity to compete for customers. The "orders completed on time" measure monitors the reliability of ILEC commitments with respect to committed due dates to assure that CLECs can reliably quote expected due dates to their retail customer. In addition, when monitored over time, the "average completion interval" and "percent completed on time" may prove useful in detecting developing capacity issues.		
Measurement	Average Completion Interval = Σ [(Completion Date & Time) - (Order		
Methodology:	Submission Date & Time)]/(Count of Orders Completed in Reporting Period)		
	Percent Orders Completed on Time = (Count of Orders Completed w/o ILEC Committed Due Date) / (Count of Orders Completed in Reporting Period) x 100 For CLEC Results: The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from the ILEC receipt of a syntactically correct order from the CLEC to the ILEC's return of a valid completion notification to the CLEC. Elapsed time for each order is accumulated for each reporting dimension (see below). The accumulated time for each reporting dimension is then divided by the associated total number of orders completed within the reporting period.		
	The percentage of orders completed on time is determined by first counting, for each specified reporting dimension, both the total numbers of orders completed within the reporting interval and the number of orders completed by the committed due date (as specified on the initial FOC returned to the CLEC). For each reporting dimension, the resulting count of orders completed no later than the committed due date is divided by the total number of order completed with the resulting fraction expressed as a percentage.		
	For ILEC Results: The ILEC computation is identical to that for the CLEC with the clarifications noted below.		
	Other Clarifications and Qualification:		
	The elapsed time for an ILEC order is measured from the point in time when the ILEC customer service agent enters the order into the ILEC order processing system until the date and time reported by the ILEC installation personnel log actual completion of all work necessary to permit service initiation, whether or not the ILEC initiates customer billing at that point in		

Measurement Detail		
 time. Results for the CLECs are captured and reported at the order level (e.g., unique PON). The Completion Date is the date upon which the ILEC issues the Order Completion Notice to the CLEC. If the CLEC initiates a supplement to the originally submitted order and the supplement reflects changes in customer requirements (rather than responding to ILEC initiated changes), then the order submission date and time will be the date and time of the ILEC receipt of a syntactically correct order supplement. No other supplemental order activities will result in an update to the order submission date and time used for the purposes of computing the order completion interval. See "Order Status" metric sheet for discussion of ILEC analogs receipt of a syntactically correct and return of a valid completion notice. Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour. Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays. 		
Reporting Dimer	nsions:	Excluded Situations:
 Service - Standard Service Groupings (See Appendix A) Activity - Standard Order Activities (See Appendix A) Geographic Scope 		 Canceled orders Initial Order when supplemented by CLEC ILEC Orders associated with internal or administrative use of local services
Data Retained R	elating To CLEC	Data Retained Relating To ILEC
Experience:		Performance:
 Report Month CLEC Order N Order Submiss Order Submiss Order Complet Order Complet Service Type Activity Type Geographic Sc 	ion Date ion Time ion Date ion Time ope	 Report Month Average Order Completion Interval Standard Error for the Order Completion Interval Service Type Activity Type Geographic Scope
	If the ILEC does not deliver dis	rect comparative results or the ILEC has not produced
Parformance	If the IPEC does not deliver an	CCt Comparative results of the 1220 time are pro-
Performance Standard in Absence of ILEC Results:	the CLEC, then result(s) related to the following levels of performeaningful opportunity to com • Unless otherwise noted, the	verifiable study of its own operation as agreed to with d to the CLEC operation should be provided according ormance in order to provide the CLEC with a

work is required.

The installation interval for unbundled loops is always 1 business day.



- UNE Channelized DS1 (DS1 unbundled loop + multiplexing) installation interval is within 2 business days.
- Unbundled Switching Element installation interval is within 2 business days
- DS0/DS1 Dedicated Transport installation interval is within 3 business
- All other Dedicated Transport installation interval is within 5 business days.
- The installation interval for all order involving only feature modification is 5 hours.
- Order completion interval for all disconnection orders is 1 business day.

Function:	Order Accuracy		
Business	Customers expect that their service provider will deliver precisely the service ordered		
Implications:	and all the features specified. Any service provider that is unreliable, with respect to		
implications	fulfilling orders, will not only generate ill-will with customers where errors are made,		
	but will also incur higher cost due to rework and processing of customer complaints.		
	This measurement monitors the accuracy of the provisioning work performed by the		
	ILEC, in response to CLEC orders. When the ILEC provide the comparable measure		
	for its own operation then it is possible to know if provisioning work performed for		
	CLECs is at least as that performed by the ILEC for its own retail local service		
	operations.		
Measurement	Percent Order Accuracy = (Σ Orders Completed w/o Error) / (ΣOrders		
	Completed) x 100		
Methodology:			
	For CLEC Results: For each order completed during the reporting period, the		
	original account profile and the order that the CLEC sent to the ILEC are compared		
	to the services and features reflected upon the account profile as it existed following		
	completion of the order by the ILEC. An order is "completed without error" if all		
	service attribute and account detail changes (as determined by comparing the original		
	and the post order completion account profile) completely and accurately reflect the		
	activity specified on the original and supplemental CLEC orders. "Total number of		
	orders completed" refers to order completions received by the CLEC from the ILEC		
	for each reporting dimension identified below.		
	Tot days reporting amounts		
	For ILEC Results: Same computation as for the CLEC with the clarifications noted		
	below.		
	Other Clarifications and Qualification:		
	O. L. C. and and J. If the CLEC initiates any symplements to the originally		
	Order Supplements - If the CLEC initiates any supplements to the originally Supplements - Supplements - Supplements to the originally		
	submitted order, for the purposes of reflecting changes in customer		
	requirements, then the cumulative effect of the initial order and all the		
	supplemental orders will be the compared with differences determined by		
	comparison of the pre- and post order completion account profiles.		
C	• Completion Notices - To the extent that the ILEC supplies a completion notice		
	containing sufficient information to perform validation of the order accuracy,		
	then the Completion Notice information can be utilized in lieu of the comparison of the "before" and "after" account profiles. Use of the		
	comparison of the before and after account profiles. Ose of the		
***	completion notice for this purpose would need to be at the mutual agreement of		
	the ILEC and the CLEC.		
	All Orders - The comparison is between the CLEC order and the account		
	profile as it existed before and after order completion.		
	• Service Profile - If a sample is employed for this measurement, then the ILEC		
	should also be prepared, if requested, to provide the percentage distribution of		
	order activity types represented within each service type for both the ILEC and		
West of the second	CLEC sample.		
	Sampling may be utilized to establish order accuracy provided the results		
	produced are consistent with the reporting dimensions specified, the sample		
	methodology is disclosed in advance and reflects generally accepted sampling		
	methodology, and the sampling process may be audited by the CLEC.		

Reporting Dime	nsions:	Excluded Situations:
Service - Stand Appendix A)	dard Service Groupings (See	 Orders canceled by the CLEC Order Activities of the ILEC associated with internal or administrative use of local services.
Data Retained I	Relating To CLEC	Data Retained Relating To ILEC
Experience:		Performance:
 Report Month Percentage Or Service Type Geographic So 	cope	 Report Month Percentage Order Accuracy Service Type Geographic Scope
Performance Standard in Absence of ILEC Results:	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: • Completed CLEC orders, by reporting dimension, are accurate no less than 99% of the time.	

Function:	Order Status
Business	When a customer calls their service provider, they expect to get information promptly
Implications:	regarding the progress on their order(s). Likewise, when changes must be made, such as to the expected delivery date, customers expect that they will be immediately
Hayar Suday (notified so that they may modify their own plans. A service provider that cannot
	fulfill such expectations will generate customer dissatisfaction. Lengthy delays in
A STATE OF THE STA	exchange of status information will result in the delay of other customer affecting
the state of the s	activities: Inside wiring activity is often not confirmed until the firm order
	confirmation is returned, and customer billing will not be initiated until the CLEC
	receives the order completion notice, to cite two examples of impact. The order status
	measurements monitor, when compared to the ILEC result, that the CLEC has
	timely access to order progress information so that the customer may be updated or
	notified, early on, when changes and rescheduling are necessary. Furthermore, the "% jeopardies returned" measure for the CLEC, when reported in comparison to the
	ILEC result, will gauge whether initial commitments to the CLEC for order
	processing are at least as reliable as the commitments the ILEC makes for its own
	operations.
Measurement	Order status intervals measure the elapsed time necessary to provide a notice to the
Methodology:	CLEC that an "unexpected" condition has been encountered when processing an
Memonology.	order. Order status includes notification of order rejection due to violation of order
	content or syntax requirements, confirmation of order acceptance, jeopardy of an
	order due to the inability to complete work as originally committed and work
	completion notification. The interval required to supply each of these four preceding
l desk fragjerjig i skuer i d Haraket - Mariesaket	major categories of status must be separately monitored and reported.
	Reject Interval = Σ [(Date and Time of Order Rejection) - (Date and Time of
	Order Acknowledgment)]/(Number of Orders Rejected in Reporting Period)
	Reject Interval is the elapsed time between the ILEC receipt of an order from the
	CLEC to the ILEC return of a notice of a syntax rejection to the CLEC. The time
	measurement starts when the ILEC accepts (acknowledges) the order from the CLEC. The time measurement stops when the ILEC returns a rejection notice to the CLEC.
	The elapsed time is accumulated by order type with the resulting accumulated time
	then divided by the count of rejected orders associated with the particular service and
	order type.
	FOC Interval = Σ [(Date and Time of Firm Order Confirmation) - (Date and
	Time of Order Acknowledgment)]/(Number of Orders Confirmed in Reporting
	Period)
	Interval for Return of a Firm Order Confirmation (FOC Interval) is the elapsed time
	between the ILEC acceptance of a syntactically correct order and the return of a
	confirmation to the CLEC that the order will be worked as submitted or worked with
	the modifications specified on the confirmation. The time measurement starts when
	the ILEC accepts (acknowledges) the order from the CLEC. The time measurement
	stops when the ILEC returns a valid firm order confirmation to the CLEC. The
	elapsed time is accumulated by order type with the resulting accumulated time then
	divided by the count of orders associated with the particular service and order type.
	Jeopardy Interval = Σ [(Date and Time of Committed Due Date for the Order) -
	ocupatuy interval - Elibate and Time of Committee Due Date for the Order)

(Date and Time of Jeopardy Notice)|/(Number of Orders Jeopardized in Reporting Period)

Jeopardy Interval is the remaining time between the pre-existing committed order completion date and time (communicated via the FOC) and the date and time the ILEC issues a notice to the CLEC indicating an order is in jeopardy of missing the due date. The scheduled completion time will be assumed to be 5:00 p.m. local time unless other information is communicated in the FOC. The date and time of the jeopardy notice delivered by the ILEC is subtracted from the scheduled completion date to establish the jeopardy interval for any order placed in jeopardy. The jeopardy interval is accumulated by standard order activity with the resulting accumulated time then divided by the count of orders associated with the particular service and standard order activity.

Completion Interval = $\Sigma[(Date \ and \ Time \ of \ Notice \ of \ Completion \ Issued to the CLEC) - (Date and Time of Work Completion by ILEC)]/(Number of Orders Completed in Reporting Period)$

Completion Notice Interval is the elapsed time between the ILEC technician's reported completion of physical work and the issuance of a valid completion notice to the CLEC. Where physical work is not required, such as in the case of software-only changes, the elapsed time will be measured beginning at 5:00 p.m. local time of the date for the committed completion and will end when the ILEC returns a valid completion notice to the CLEC. If a valid completion notice is returned before 5:00 p.m. on the committed completion date and no physical work is involved, then the elapsed time will be recorded as 1/10 hour. The elapsed time is accumulated by order type with the resulting accumulated time then divided by the count of orders associated with the particular service and order type.

% Jeopardies = (Number of Orders Jeopardized in Reporting Period)/(Number of Orders Confirmed in Reporting Period)

<u>Percentage Jeopardies Returned</u> is the percentage of total orders processed for which the ILEC notifies the CLEC that the work will not be completed as committed on the original FOC. The measurement result is derived by dividing the count of jeopardy notices the ILEC issues to the CLEC by the count of FOC returned by the ILEC during the identical period. Both the "Number of Orders Jeopardized in Reporting Period" and "Number of Orders Confirmed in Reporting Period" are utilized in other status measurement computations.

For ILEC Results: Same computation as the CLEC with the clarifications outlined below.

Other Clarifications and Qualification:

- When the ILEC processes orders for a CLEC via different interfaces (e.g., ASR and EDI) then the preceding measurement must be computed for each interface arrangement.
- All intervals are measured in hours and hundredths of hour rounded to the nearest hundredth.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays.
 - "Syntactically correct" means all fields required to process an order are

- The ILEC service agent's attempt to submit an order for processing by the ILEC OSS is considered equivalent to the ILEC acknowledgment of the CLEC's order.
- The ILEC OSS return of any indication to the service agent that an order cannot be processed as submitted is considered equivalent to the ILEC return of a rejection notice to the CLEC.
- Return of any information (e.g., order recapitulation) to the ILEC customer service agent that indicates the order can be processed, is the equivalent of the ILEC return of a FOC to the CLEC.
- Logging of information in the ILEC OSS, whether manual or automatic, that
 indicates an order may not be completed by the existing due date, is
 equivalent of the return of a jeopardy notice to the CLEC regardless of
 whether or not the ILEC takes action based upon such information.
- Automatic logging of work completion and manual logging of work completion, whether input to directly to the ILEC OSS or into an intermediate storage devise, is consider the equivalent of the return of a completion notice to the CLEC.

Reporting Dimensions:	Excluded Situations:
 Standard Order Activities (See Appendix A) Geographic Scope 	 Rejection Interval - None Jeopardy Interval - None Firm Order Confirmation Interval - None Completion Notification Interval - None Percentage Jeopardies Returned - None
Data Retained Relating To CLEC	Data Retained Relating To ILEC
Experience:	Performance:
 Report Month CLEC Order Number Order Submission Date Order Submission Time Status Type (Rejection, FOC, Jeopardy Type, Completion Notice) Status Notice Date Status Notice Time Standard Order Activity Geographic Scope 	 Report Month Status Type (Rejection, FOC, Jeopardy Type, Completion Notice) Average Status interval Standard error of status interval Standard Order Activity Geographic Scope

Performance Standard in Absence of ILEC Results:

1.0

If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete:

- no less than 97% of Rejects in a reporting period are returned within 15 seconds
- all Firm Order Confirmations are returned within 4 hours
- no less than 97% of order completions are returned within 30 minutes of work
 - completion
- no less than 97% of Jeopardies should be received by the CLEC a minimum of 2 business days prior to the due date indicated on the final FOC
- no more than 5% of the total number of orders should result in a Jeopardy in any given report period

The held order interval is measured in calendar rather than business days.		
Reporting Dimensions:	Excluded Situations:	
 Service - Standard Service Groupings (See Appendix A) Reason for Hold (no facilities, no equipment, workload, other) Geographic Scope 	 Any orders canceled by the CLEC will be excluded from this measurement. Order Activities of the ILEC associated with internal or administrative use of local services 	
Data Retained Relating To CLEC	Data Retained Relating To ILEC	
Experience:	Performance:	
 Report Month CLEC Order Number Committed Due Date Order Submission Date Service Type Hold Reason Geographic Scope 	 Report Month Average Held Order Interval Standard Error for Average Held Order. Interval Service Type Hold Reason Geographic Scope 	
Standard in Absence of ILEC Results: benchmark levels based upon a the CLEC, then result(s) related to the following levels of performeaningful opportunity to com • Less than 0.1% of orders	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: • Less than 0.1% of orders held for more than 15 calendar days • No orders held for more than 90 calendar days	

Maintenance and Repair (MR)

Function:	Time To Restore	
Business Implications: Measurement	Customers expect prompt restoral of service to the normal operating parameters whenever troubles are detected. The longer the time required to correct a service problem, the greater the customer dissatisfaction. This measure, when collected for both the CLEC and ILEC and compared, monitors that CLEC maintenance requests at least as quickly as ILEC maintenance requests. Mean Time To Restore = \(\Sigma[(Date and Time of Ticket Closure)-(Date and Time of Ticket Creation)] / (Count of Trouble Tickets Closed in Reporting Period)	
Methodology:	For CLEC Results: The restoral interval for resolution of customer requested maintenance and repair is the elapsed time, measured in hours and tenths of hours, measured from the CLEC logging a trouble ticket with the ILEC, regardless of the ultimate resolution of the trouble, to the time the ILEC returns a valid trouble resolution notification to the CLEC. The elapsed time is accumulated by service type and trouble disposition for the reporting period. The accumulated time is divided by the count of maintenance tickets reported as resolved by the ILEC (by service type and trouble disposition and cause) during the report period. For ILEC Results: Same computation as for the CLEC.	
	 Other Clarifications and Qualification: This measure is analogous to the Out Of Service Measure of the ILEC with the exception that all trouble causes are monitored and that the average time to restore is reported rather than a comparison to a target (the same underlying data is required for both computations) Elapsed time is measured on a 24 hour day, seven days a week basis. The time is measured in hours and hundredths of hours rounded to the nearest hundredth hour. Multiple reports for the same customer service are treated as separate incidents. "Restore" means to return to the normally expected operating parameters for the service regardless of whether or not the service, at the time of trouble ticket creations, was operated in a degraded mode or was completely unusable. A trouble ticket or trouble report is any record (whether paper or electronic) by the ILEC for the purpose of monitoring action and disposition of a service repair or maintenance situation. ILEC acceptance of a trouble by the call receipt agent is considered equivalent to the CLEC logging or submitting a trouble to the ILEC. The ILEC closure of a trouble ticket (whether automatic or manual) is considered equivalent to returning a trouble resolution notice to the CLEC. 	
Appendix A)	ensions: dard Service Groupings (See or Trouble tickets that are canceled at the CLEC request ord Cause (See Appendix A) • ILEC trouble reports associated with	

Wicasurement Detail		
		 Subsequent Reports (additional reports on an already open ticket).
Data Retained Rela	ating To CLEC	Data Retained Relating To ILEC
Experience:		Performance:
elements combineDisposition and CGeographic Scope	n Date n Time n Date n Date a unique identifier for d in a service configuration) ause	 Report Month Average Restoral Interval Standard Error for the Average Restoral Interval Service Type Disposition and Cause Geographic Scope
Performance Standard in Absence of If the ILEC does not deliver direct comparative results or the ILEC has not produce benchmark levels based upon a verifiable study of its own operation as agreed to the CLEC, then result(s) related to the CLEC operation should be provided account to the following levels of performance in order to provide the CLEC with a		verifiable study of its own operation as agreed to with to the CLEC operation should be provided according

ILEC Results:

to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete:

- Out of Service conditions where dispatch is required:
 - •≥90% resolved within 4 hours
 - •>95% resolved within 8 hours
 - •>99% resolved within 16 hours
- Out of Service conditions where no dispatch is required:
 - •≥85% resolved within 2 hours
 - •>95% resolved within 3 hours
 - •≥99% resolved within 4 hours
- \geq all other troubles resolved within 24 hours

Function:	Frequency of Repeat Troubles		
Business Implications:	troubles are sufficiently annoying short time frame it is even more oboth the ILEC and CLEC can est disadvantaged (vis-à-vis the ILEC occurrence of customer troubles trouble. Differences in this meas maintenance support in the initial	the effectiveness of repair activities. First time is and disruptive. When the trouble recurs within a dissatisfying. This measurement, when gathered for ablish whether or not CLECs are competitively in as a result of experiencing more frequent mot being resolved in the first attempt to repair the ture may indicate that the CLEC is receiving inferior in resolution of troubles or, in the alternative, it may then the supplied are of inferior quality.	
Measurement Methodology:	Repeat Trouble Rate = (Count of Service Access Line Generating More Than One Trouble Within a Continuous 30 Day Period) / (Number of Reports in the Report Period) x 100		
	For CLEC Results: The repeat trouble rate measure is computed by accumulating the number of instances where a trouble ticket is submitted by a CLEC to the ILEC for a service arrangement that had at least one prior trouble ticket any time in the 30 calendar days preceding the creation of the current trouble ticket. The number of repeat troubles are accumulated for the reporting period by service type. The count of repeat troubles, by service type, is divided by the count of initial trouble reports (by service type) received during the report period. For ILEC Results: Same computation as for CLECs.		
	Other Clarifications and Qualification:		
	 No trouble types excluded (for example, trouble dispositions of "no access" are included) Unbundled loops or UNE combination involving and unbundled loops are considered a "service access line". The "same service arrangement" means a trouble report being reported for the same telephone number or the same circuit identifier. The trouble resolution need not be identical between the repeated reports for the incident to be counted as a repeated trouble. 		
Reporting Dim		Excluded Situations:	
 Service - Sta Appendix A 	ndard Service Groupings (See) and Cause (See Appendix A)	 Trouble tickets that are canceled at the CLEC request ILEC trouble reports associated with administrative service Instances where the CLEC or an ILEC customer requests that a ticket be "held open" for monitoring. Subsequent trouble report(s) on a maintenance ticket that has (have) not been reported as resolved (or closed) 	

Data Retained R	Relating To CLEC	Data Retained Relating To ILEC Performance:
 Report Month CLEC Ticket # Ticket Submission Time Ticket Submission Date Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause 		 Report Month % repeat trouble Service Type Disposition and Cause Geographic Scope
Performance Standard in Absence of ILEC Results:	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: Less than 1% of trouble reports, by service type, experience a repeat report, regardless of the trouble disposition, within a 30 day period.	

Function:	Frequency of Troubles (Trouble	es per 100 lines)	
Business Implications:	differentials in performance are of Poor performance is difficult to of sustained superb performance in tarnished. When measured for b can be used to establish that CLE to ILEC, as a result of experience	of service performance from their supplier and quickly recognized throughout the market place. overcome and may require lengthy periods of order to re-establish a product image that has been out the ILEC and CLEC and compared, this measure ECs are not competitively disadvantaged, compareding more frequent incidents of trouble reports. dicate differences in the underlying quality of the	
Measurement Methodology:	Trouble Rate = (Count of Initial & Repeated Trouble Reports in the Current Period) / (Number of Service Access Line in Service at End of the Report Period) x 100		
	For CLEC Results: The frequency of trouble metric is computed by accumulating, by standard service grouping and disposition and cause, the total number of maintenance tickets logged by a CLEC (with the ILEC) during the reporting period. The resulting number of tickets for each disposition and cause is accumulated within each standard service grouping, is divided by the total number of "service access lines" existing for the CLEC at the end of the report period.		
	For ILEC Results: Same calculation as for the CLEC with the clarifications provided below.		
	 Other Clarifications and Qualification: This measure is frequently a minimum service standard required by state commissions for monitoring ILEC performance. There are no trouble types that are excluded from this measurement. Unbundled loops or UNE combinations involving unbundled loops would be counted as a "service access line". See the "Time to Restore" measurement for a discussion of the ILEC equivalent of "trouble tickets" and "trouble logging". 		
Reporting Dim	ensions:	Excluded Situations:	
A)	vice Groupings (See Appendix and Cause (See Appendix A) Scope	 Trouble tickets that are canceled at the CLEC request ILEC trouble reports associated with administrative service Instances where the CLEC or an ILEC customer requests a ticket be "held open" for monitoring. 	

Data Retained Relating To CLEC		Data Retained Relating To ILEC
Experience:		Performance:
 Report Month CLEC Ticket # Ticket Submission Time Ticket Submission Date Ticket Completion Time Ticket Completion Date Service Type 		 Report Month Trouble Rate Service Type Disposition and Cause Geographic Scope
 WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause Geographic Scope 		
Performance Standard in Absence of ILEC Results:	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: • Less than 1.5% of lines, by service type, experience a trouble in a report period.	

Function:	Estimated Time To Restore Me	t	
Business	When customers experience troub	ble on working services, they naturally expect the	
Implications:	services to be restored within the not fulfilled, an already unsatisfac	time frame promised. When such commitments are ctory condition, in the customer's eyes, becomes is collected for the ILEC and CLEC and then	
		lish that CLECs are receiving equally reliable (as	
	compared to the ILEC operations repairs.	e) estimates of the time required to complete service	
Measurement		les Resolved Within Estimate = (Count of	
Methodology:		y The Quoted Resolution Time and Date) /	
	(Count of Customer Troubles 1	Fickets Closed) x 100	
	repair completion date and time (ticket closure as defined in Time actual repair date and time is one date and time to restore, the countries of the countries	is compared to the actual repair date and time to Restore metric). In each instance where the or before the initially provided estimated or quoted at of "troubles resolved within estimate" is	
	incremented by one for the relevant "service type" and "disposition and cause". The resulting count is divided by the total number of troubles resolved (for the consistent service type - disposition and cause), for the report period, where a estimated interval was provided or a standard interval existed.		
	For ILEC Results: Same as for CLEC.		
	Other Clarifications and Qualification:		
	time of ILEC trouble tick clearance date and time e interaction with the work	s measure is derived by comparing the actual date and set closure compared to the projected trouble established through the ILEC agent's on-line a management system of the ILEC, regardless of currently quotes this information to its retail	
	There are no trouble types that are excluded from this measurement.		
		• See the "Time To Restore" measurement for discussion of analogous ILEC maintenance activities (e.g., trouble resolution).	
	The "quoted" or "estimated" time to restore is the actual schedule time		
ner i e kesikuri	projection returned by the ILEC work management system or the standardized		
	repair interval that the ILEC uses for its own operations when equivalent		
	service arrangements are involved.		
		y the estimated repair interval, then the estimated date	
	and time of repair is determined by adding the repair interval to the date and		
time that the CLEC logged the repair request with the ILEC.			
Reporting Dim		Excluded Situations:	
	tandard Service Groupings (See	Trouble tickets that are canceled at the	
Appendix A		CLEC request	
-	and Cause (see Appendix A)	ILEC trouble reports associated with administrative service	
Geographic	с эсоре	Instances where the CLEC or an ILEC customer requests a ticket be "held open"	
		for monitoring.	

Data Retained Relating To CLEC		Data Retained Relating To ILEC
Experience:		Performance:
 Report Month CLEC Ticket # Ticket Submission Time Ticket Submission Date Ticket Completion Time Ticket Completion Date Service Type WTN or CKTID (a unique identifier for elements combined in a service configuration) Disposition and Cause 		 Report Month Percentage of Customer Troubles Resolved Within Estimate Service Type Disposition and Cause Geographic Scope
• Geographic Performance Standard in Absence of ILEC Results:	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: • Greater than 99% of a maintenance problems, by service type, are corrected by the quoted or estimated date and time of repair.	

General (GE)

Function:	Systems Availability	
Business Implications:	Access to essential business functionality, supported by OSS of the ILEC, is absolutely essential to CLEC operations. This measure monitors that such OSS functionality is at least as accessible to the CLEC as to the ILEC.	
Measurement Methodology:	% System Availability = [(Hours Functionality is Available to CLECs During Report Period) / (Number of Hours Functionality was Scheduled to be Available During the Period)] x 100	
	For CLEC Results: The total "number of hours functionality was scheduled to be available" is the cumulative number of hours (by date and time on a 24 hour clock) over which the ILEC planned to offer and support CLEC access to ILEC OSS functionality during the reporting period. The ILEC must provide a minimum advance notice of one reporting period regarding availability plans and such plans must be interface-specific. If scheduled availability is not provided with at least one report period advance notice then the default availability for the subsequent reporting period will be seven days per week, 24 hours per day.	
	"Hours Functionality is Available" is the actual number of hours, during scheduled available time, that the ILEC gateway or interface is capable of accepting CLEC transactions or data files for processing in the gateway / interface and supporting OSS.	
	The actual time available is divided by the scheduled time available and then multiplied by 100 to produce the "% system availability" measure. The "% system availability" measure is required for each unique interface type offered by the ILEC.	
	For ILEC Results: Each OSS of the ILEC that is employed in the support of CLEC operations must first be identified by supported functional area (e.g., pre-ordering, ordering and provisioning, repair and maintenance and billing) with such mapping disclosed to the CLECs. The "available time" and "scheduled available time" is gathered for each of the identified ILEC OSS during the report period. The OSS function availability is computed based upon the weighted average availability of the subtending support OSS. That is, the available time for each OSS supporting a functional area is accumulated over the report period and then divided by the summation of the scheduled available time for those same supporting OSS.	
	Other Clarifications and Qualification:	
	 The ILEC analogs for this performance measure are the internal measures of system downtime (up time) typically established between the ILEC Systems Management Organization and the client organizations. OSS scheduled and available time may be utilized in the computation of more than one functional area. Parity exists if the CLEC "% system availability" ≥ ILEC function availability for the functionality accessed by the CLEC. "Capable of accepting" must have a meaning consistent with the ILEC definition of down time, whether planned or unplanned, for internal ILEC systems having a comparable potential for customer impact. Time is measured in hours and tenths of hours rounded to the nearest tenth of an 	

Reporting Dimensions:	Excluded Situations:	
 Interface type offered for each functional area (See Appendix A) Business Period (8:00AM to 8:00PM local time versus 8:00PM to 8:00AM, weekends and holidays) 	• None	
Data Retained Relating To CLEC	Data Retained Relating To ILEC	
Experience:	Performance:	
 Report Month Interface Type (Identifies each unique interface available to CLECs) Scheduled Hour Available Actual Hours Available 	 Report Month Functionality Identification % Availability of Functionality 	
Standard in Absence of ILEC Results: benchmark levels based upon a the CLEC, then result(s) related to the following levels of performeaningful opportunity to com	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: Less than 0.1% of unplanned down time, by interface type, during either business period.	

Function:	Center Responsiveness
Business Implications:	When CLECs experience operational problems dealing with ILEC processes or interfaces, prompt support by the ILEC is required in order to assure that the CLEC customers are not adversely impacted. Any delay in responding to CLEC center requests for support (e.g., request for a vanity telephone number) will, in turn, adversely impact the CLEC retail customer who may be holding on-line with the CLEC customer service agent. This measure, when gathered for both the CLEC and ILEC, monitors that ILEC handling of support calls from CLECs is at least as responsive as for calls by ILEC retail customers seeking assistance (e.g., calling the business office of the ILEC or call the ILEC to report service repair issues).
Measurement Methodology:	Mean Time to Answer Calls = Σ [(Date and Time of Call Answer) - (Date and Time of Call Receipt)]/(Total Calls Answered by Center)
	Call Abandonment Rate = (Count of Calls Terminated Before Answer During the Reporting Period)/(Count of All Calls Placed in Queue During the Reporting Period)
	For CLEC Results: Speed of answer (mean time to answer calls) and call abandonment rates are monitored through the call management technology utilized to distribute calls to ILEC agents supporting CLEC activities (i.e., call receipt personnel staffing ILEC support centers intended for CLEC use). Results for each measure are to be provided separately for each center handing CLEC inquiries. If centers deployed by the ILEC support multiple functions (e.g., both maintenance and provisioning) then the results for each function supported should be separately reported, if feasible.
	Speed of Answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the ILEC call management system until the CLEC call is transferred to the ILEC personnel assigned to handling CLEC calls for assistance. The elapsed time is measured in seconds and tenths of seconds rounded to the nearest tenth of a second.
	The <u>Call Abandonment Rate</u> is also monitored through the call management technology for the CLEC service agents. The number of calls received by the call distribution system is counted for the reporting period, regardless whether the call actually is transferred to an agent for processing. In addition, a count is accumulated of all calls received into the call distribution system that are subsequently terminated by the calling party or due to equipment failure before transfer to the service agent for processing. This call termination may occur at any point (e.g., the call may be within an Automatic Call Distributor, within a Voice Response Unit, in an answer queue, or at any other point in the call management system.)
	For ILEC Results: Both Speed of Answer and Call Abandonment Rate, as it relates to the ILEC, will be measured in an identical manner as described for the CLEC. The results for the ILEC business office operations and its repair bureau operations should be separately accumulated, computed and retained. Where call receipt for such operations are commingled and inseparable, then only a single results for each



measure will be generated and serve as the comparative result for both the CLEC repair support and the CLEC provisioning support results.

Other Clarifications and Qualification:

- Speed of Answer minimum service standards, established in many states for business office, maintenance center, and/or operator services represent a similar ILEC measure and are derived from identical data (although the result displayed may be in comparison to a pre-established standard performance minimum)
- For ILEC and CLEC calls, an ILEC Agent answering and placing the caller on hold does not stop timing for purposes of the speed of answer interval.
- A Voice Response Unit does not stop the timing for purposes of the speed of answer interval. For a call to be considered answered, the live ILEC Agent must handle the CLEC request.
- Results may be reported for the CLEC industry in aggregate to the extent separate carrier-specific support centers are not provided. If separate centers are provided (either for an individual CLEC or a group of CLECs) then results should be gathered and supplied for each center and reported to the CLEC(s) based upon the center providing the specific CLEC's support.
- If the ILEC call management technology cannot measure speed of answer for on a call-specific basis, then an alternate methodology that simulates speed of answer based upon the average time for component parts of the call (e.g., queue to IVR + IVR to queue + queue to agent answer) can be utilized by mutual consent of the ILEC and CLECs.

Reporting Dimensions:		Excluded Situations:
Support Center Type (i.e., Center supporting CLEC maintenance, Center supporting CLEC provisioning, ILEC Center supporting retail customer maintenance calls, ILEC Center supporting business office inquiries).		• None
Data Retained Relating To CLEC		Data Retained Relating To ILEC
Experience:		Performance:
Month		Month
Center Type		Center Type
Mean Speed of Answer		Mean Speed of Answer
Standard Error for Mean Speed of Answer		Standard Error for Mean Speed of Answer
Call Abandonment Rate		Call Abandonment Rate
Performance Standard in Absence of	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: • Greater than 95% of the calls, by center, are answered within 20 seconds • All calls are answered within 30 seconds.	

Billing (BI)

Function:	Timeliness Of Billing Record Delivery
Business Implications:	Regardless whether the billing is for retail customer or exchange access service, the timing of ILEC delivery of billing records must provide CLECs with the opportunity to delivery timely bills in as timely a manner as the ILEC; otherwise artificial competitive advantage would be realized by the ILEC. The "mean time to provide recorded usage" and the "mean time to deliver invoices" monitor this situation.
Measurement Methodology:	Mean Time to Provide Recorded Usage Records = $\{\Sigma (Data Set Transmission Date) - (Date of Message Recording) \} / (Count of All Messages Transmitted in Reporting Period)$
	Mean Time to Deliver Invoices = $\Sigma[(Invoice Transmission Date)-(Date of Scheduled Bill Cycle Close)]/(Count of Invoices Transmitted in Reporting Period)$
	For CLEC Results:
	Usage Records: This measure captures the elapsed time between the recording of usage data generated either by CLEC retail customers or by CLEC access customers (by the AMA recording equipment associated with the ILEC switch) and the time when the data set, in a compliant format, is successfully transmitted to the CLEC. For each usage record, the calendar date and time of usage recording is compared to the calendar date and time of successful completion of data set transmission to the CLEC. The number of hours and tenths of hours elapsed between message recording and data set transmission will constitute the elapsed delivery time. The elapsed delivery time is accumulated for each usage record with the resulting total number of hours accumulated being divided by the number of complete usage records in all the data sets transmitted.
	Invoices: This measure captures the elapsed number of days between the scheduled close of a Bill Cycle and the ILEC's successful transmission of the associated invoice to the CLEC. For each invoice, the calendar date of the scheduled close of Bill Cycle is compared to the calendar date that successful invoice transmission to the CLEC completes. The number of calendar days elapsed between scheduled Bill Cycle close and completion of invoice transmission will constitute the elapsed delivery time. The elapsed delivery time is accumulated for each invoice with the resulting total number of days accumulated being divided by the number of complete invoices sent in the reporting period.
	For ILEC Results: Identical computations are made for the ILEC with the clarifications provided below.
	Other Clarifications and Qualification: • The elapsed time for delivery of ILEC usage records is measured from the time of message recording, as captured on the AMA tape of the ILEC, to the time the reformatting of the AMA tape to an EMR format (or equivalent) is completed. • The elapsed time for ILEC invoice delivery is measured from the scheduled

close date of the retail customer bill cycle to the production of the customer		
bill in electronic format (i.e., bill is ready for printing) appropriate for		
delivery to retail customers regardless whether or not such a distribution is		
immediately undertaken.		

- Mean time to deliver usage records is to be reported separately for end user usage, access related usage.
- Alternately billed usage (e.g., bill-to-third party, collect, credit card usage
 processed through CMDS), although commingled on the daily usage feeds to
 the CLEC, is to be monitored separately from the directly billed usage with
 respect to timeliness because of the different and more time consuming
 settlements and clearing process associated with such usage.

Reporting Dimensions:	Excluded Situations:
 End user usage records Access usage records Alternately billed usage records Wholesale Bill Invoices (TSR) Unbundled Element Invoices (UNE) 	Any usage records or invoices rejected due to formatting or content errors.
Data Retained Relating To CLEC Experience:	Data Retained Relating To ILEC Performance:
 Report Monthly Record Type or Invoice Type Mean Delivery Interval Standard Error of Delivery Interval 	 Report Month Record Type or Invoice Type Mean Delivery Interval Standard Error of Delivery Interval

Performance Standard in Absence of ILEC Results:

If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete:

- For usage records, separately for access usage and end user usage:
 - Greater than 99.9% records received within 24 hours or usage recording
 - All usage is received within 48 hours of usage recording
- Greater than 99.95% of services resale invoices received within 10 calendar days of bill cycle close
- Greater than 99.95% of wholesale (UNE) invoices received within 10 calendar days of bill cycle close.

Function:	Accuracy of Billing Records
Business Implications:	The accuracy of billing records affects the accuracy of the billing ultimately delivered to local service customers, whether retail service or exchange access service customers. Billing for the elements from which CLEC services are constructed must be validated to assure that only correct charges are paid. This validation is necessary to assure that the cost structure for services is not inflated. Furthermore, charges such as "time and material" related charges may be on the invoice and need to be promptly passed on to customers (by CLECs) to avoid dissatisfaction regarding the timeliness of CLEC billing and to minimize customer inquiries on late billing. Fair competition requires that the accuracy of billing records (both usage and invoices) delivered by the ILEC to the CLEC must provide CLECs with the opportunity to delivery bills at least as accurate as those delivered by the ILEC. Producing and comparing this measurement result for both the ILEC and CLEC allows a determination as to whether or not parity exists.
Measurement Methodology:	Invoice Accuracy = [(Number of Invoices Delivered in the Reporting Period that Have Complete Information, Reflect Accurate Calculations and are Properly Formatted) / Total Number of Invoices Issued in the Reporting Period)] x 100
	Usage Accuracy = [(Number of Usage Records Delivered in the Reporting Period That Reflected Complete Information Content and Proper Formatting) / (Total Number of Usage Records Transmitted)] x 100
	For CLEC Results: The completeness of content, accuracy of information and conformance of formatting will be determined based upon the terms of the individual CLEC interconnection agreements with the ILECs. The ILEC will establish a quality control process that is disclosed to CLECs and that is no less rigorous than the most rigorous quality monitoring established in the ILEC billing service contracts for long distance service providers. The quality monitoring process must be disclosed in advance and process auditing must be permitted. The records and invoices delivered by the ILEC must simultaneously meet the standards relating to content, accuracy and formatting in order to be counted as accurate. Each of the above measurements, is expressed as a ratio (expressed as a percentage) of accurate records (or invoices) to the total records (or invoices) delivered.
	For ILEC Results: The results computation for the ILEC is identical to that described for the CLECs. The usage accuracy determination is based upon comparison of the usage records, following conversion to the EMR (or equivalent) format as compared to the internally established content and formatting requirements. Likewise, the accuracy measure for invoice delivery will be based upon a statistically reliable comparison of ILEC invoices to the content, calculation methodology and formatting standards of the ILEC. Separate comparisons are to be made for retail service invoices and access invoices with the results compared to wholesale (TSR) and UNE invoices, respectively.
	Other Clarifications and Qualification:
	The usage accuracy measure identified here is similar to the type of measures that the ILEC commonly has instituted in service contracted established with long distance service suppliers who use ILEC billing



services.

The wholesale invoice accuracy identified here is analogous to the measures
contained within the Billing Quality Assurance Programs that the ILECs
have with IXCs for monitoring access billing quality. If a sampling process
is used to monitor accuracy, then the study results must be reconfirmed no
less than quarterly

Reporting Dimensions:	Excluded Situations:
 End user usage records Access usage records Alternately billed usage records Wholesale Bill Invoices (TSR) Unbundled Element Invoices (UNE) 	• None
Data Retained Relating To CLEC Experience:	Data Retained Relating To ILEC Performance:
Report Month Record or Invoice Type (per Reporting Dimensions) Accuracy	 Report Month Record or Invoice Type (per Reporting Dimensions) Accuracy

Performance Standard in Absence of ILEC Results:

If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete:

- Greater than 98% of usage records transmitted, by usage type, reflect the agreed upon format and contain complete information.
- Greater than 98% of wholesale bill, by invoice type, are financially accurate

Operator Services and Directory Assistance (OS, DA)

Function:	Speed To Answer		
Business Implications:	ILEC, the speed of answer deliver provides Operator Services or Dis slower than the speed of answer the equivalent local services.	ed competitive advantage is not created for the red to CLEC retail customers, when the ILEC rectory Services on behalf of the CLEC, must be no hat the ILEC delivers to its own retail customers of	
Measurement Methodology:		te and Time of Call Answer) - (Date and Time of wered on Behalf of CLECs in Reporting Period)	
	through the call management tecl	nswer and call abandonment rates are monitored nology used to distribute calls to ILEC agents call receipt personnel staffing Directory Assistance	
	Speed of Answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC retail customer call into the ILEC call management system queue until the CLEC retail customer call is transferred to the ILEC personnel assigned to handling CLEC calls for assistance (whether DA or OS). The elapsed time is measured in seconds and tenths of seconds rounded to the nearest tenth of a second.		
	For ILEC Results: Identical me clarification provided below.	easures as described for the CLEC with the	
	Other Clarifications and Qual	ification:	
	 This measure is directly analogous to speed of answer minimum service standards established within many states. Results may be reported for the CLEC industry in aggregate. See the "Center Responsiveness" measurement for the treatment of the situation where ILEC call management technology cannot measure speed of answer on a call basis from receipt to answer. 		
Reporting Dim	ensions:	Excluded Situations:	
Directory Assi	ng Method (human versus machine		
Data Retained Relating To CLEC		Data Retained Relating To ILEC	
Experience:		Performance:	
 Month Call Type (OS or DA) Mean Speed of Answer Standard Error for Mean Speed of Answer 		 Month Call Type (OS or DA) Mean Speed of Answer Standard Error for Mean Speed of Answer 	

Performance Standard in Absence of ILEC Results:

If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete:

- More than 90% of call involving answer by a "live" agent, separately for OS and DA services, are answered within 10 seconds.
- All calls involving answer by a Voice Response Unit, separately for OS and DA services, are answered within 2 seconds.

Network Performance (NP)

Function:	Network Performance Parity	
Business Implications:	The perceived quality of CLEC retail services, particularly when either ILEC services are resold or UNE combinations are employed, will be heavily influenced by the underlying quality of the ILEC network performance. Customers experience the quality of the service provider each time services are used. This metric monitors, when collect for both the CLEC and ILEC and then compared will help show whether CLEC network performance is at least at parity with ILEC network performance.	
Measurement Methodology:	Network Performance Parity = Result)/(Number of Tests Cond	Σ(Network Performance Parameter lucted)
	For CLEC Results: Based upon a random and statistically reliable (at a preset level) sample of network configurations employed by the CLEC, the network performance parameter (as indicated in the reporting dimension) is monitored based upon generally accepted testing procedures and the resulting parameter value(s) recorded. The measured values are accumulated across the sample base and the mean and associated variance computed For ILEC Results: The approach is identical to that described for the CLEC, except that the network performance is measured only for representative ILEC service configurations. Other Clarifications and Qualification:	
Reporting Dim		Excluded Situations:
Transmission (Speed of ConnReliability (Se	Quality (See Appendix A) ection (See Appendix A) e Appendix A)	None Data Retained Relating To ILEC
	Relating To CLEC	Performance:
Standard in Absence of ILEC Results: benchmark levels based upon a the CLEC, then result(s) related to the following levels of performance meaningful opportunity to com-		Report Month Reporting Dimension Mean Performance Result Standard Error of Mean Performance Number of Data Points Geographic scope ect comparative results or the ILEC has not produced verifiable study of its own operation as agreed to with to the CLEC operation should be provided according ormance in order to provide the CLEC with a

Interconnection/Unbundled Elements and Combinations (IUE)

Function:	Availability of Network Elements
Business Implications: Measurement Methodology:	As CLECs use individual elements as well as element combinations to deliver unique services, it is essential that the UNE functionality operate properly due to the crucial role played by such elements in providing quality retail services. This measure monitors individual network element or element combinations, that do not have an apparent retail analog, to assure that CLECs have a meaningful opportunity to compete through access to and use of element (or combination) functionality. Function Availability ¹ = (Amount of Time ² a Functionality is Useable ¹ by a CLEC in a Specified Period)/(Total Time ² Functionality Was Intended to Be Useable) Notes:
	 These measure may also be expressed in the negative, that is, in term of unavailability. In some instances, rather than time, the availability will be express in terms of transactions executed successfully compared to transactions attempted.
	For CLEC Results: Availability will be measured for each unique UNE functionality (or combination of UNEs) that deliver a unique functionality that does not have a reasonable retail service analog. The number of times that the functionality executes properly will be shown in comparison to the number of times that the execution of the functionality was requested or initiated. Availability can apply to both physical and logical (e.g., database) elements. Physical element availability (e.g., links to databases, dedicated transport, etc.) will typically be expressed as the % of time that the functionality is useable compared to the total time in the period being observed. "Useable" will typically means that, when monitored, the element indicates readiness to operate (e.g., an electrical (or equivalent) continuity is detected, expected signaling is returned, etc.). Logical element availability will typically be expressed in terms of the number of transactions successfully executed (e.g., successful database updates, success query responses) compared to the number of transactions attempted.
	A-link: minutes unavailable per year D-link: seconds unavailable per year databases: percentage of queries receiving a response databases: percentage of transactions experiencing time-outs databases: percentage of queries experiencing a return of unexpected value routing: percentage of calls blocked
	For ILEC Results: Identical measurements are performed where the ILEC employs the same or reasonably comparable functionality. Where such analogs do not exist, the ILEC is expected to establish benchmark performance levels jointly with the CLEC requesting the functionality.
	Other Clarifications and Qualification:

- The preceding list of elements is illustrative and is not to be considered exhaustive
- ILEC failure to provide timeliness performance that is no worse than what its own operations experience when using comparable functionality or, where comparable functionality is not employed, failure to meet or exceed parameters established as result of negotiation with the CLEC, constitutes failure to deliver nondiscriminatory access.
- For each element or element combination requested, where a retail analog is
 not identified, the ILEC is expected to establish both a availability measure
 and an availability standard (ILEC functional analog or negotiated) unless
 the CLEC waives its right for such a measure.
- Typical databases for which standards are currently expected are AIN, LIDB and 800 Number.

Reporting Dimensions:	Excluded Situations:	
By unique UNE or UNE combinations requested by the CLECs	• None	
Data Retained Relating To CLEC Experience:	Data Retained Relating To ILEC Performance:	
 Month Element or Element Combination Identification Result for Agreed Upon Availability Parameter 	To Be Determined	
Standard in Absence of ILEC Results: benchmark levels based upon a the CLEC, then result(s) related to the following levels of performance meaningful opportunity to com	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: • Performance Standards in this area are yet to be published.	

Function:	Performance of Network Elements	
Business Implications:	As CLECs use individual elements (as well as element combinations) to deliver unique services, it is essential that the UNE functionality operates in a timely manner because of the crucial role played by such elements in providing quality retail services. This measure monitors individual network element (or element combinations), that do not have an apparent retail analog, to assure that CLECs are afforded a meaningful opportunity to compete when element (or combination) functionality is utilized.	
Measurement Methodology:	Timeliness of Element Performance = (Number of Times Functionality Executes Successfully Within the Established Timeliness Standard)/(Number of Times Execution of Functionality was Attempted)	
	For CLEC Results: Timeliness will be measured for each unique UNE (or combination of UNEs) that delivers unique. The number of times that the functionality executes properly within the established standard time frame will be accumulated and shown in comparison to the number of times that the execution of the functionality was requested or initiated. Illustrative examples of timeliness measures are shown below: • Database Updates: % completed within 24 hours • Post Dial Delay: % calls routed to CLEC OS platform within 2 seconds For ILEC Results: Identical measurements are performed where the ILEC employs the same or reasonably comparable functionality. Where such analogs do not exist, the ILEC is expected to establish benchmark performance levels jointly with the	
	CLEC requesting the functionality. Other Clarifications and Qualification:	
	 The preceding list of elements is illustrative and is not to be considered exhaustive ILEC failure to provide timeliness performance that is no worse than what its own operations experience when using comparable functionality or, where comparable functionality is not employed, failure to meet or exceed parameters established as result of negotiation with the CLEC, constitutes failure to deliver nondiscriminatory access. For each element (or element combination) requested where a retail analog is not identified, the ILEC is expected to establish both a timeliness measure and a timeliness standard (ILEC functional analog or negotiated) jointly with the requesting CLEC unless that CLEC waives its right for such a measure. Typical databases for which standards are currently expected are AIN, LIDB and 800 Number. Comparisons of performance should be based upon the criteria for which the element was engineered. For example, if the element was engineered based upon average busy hour criteria, the comparison should be based upon the CLEC busy hour period (likewise for criteria such as busy day, busy season, or ten high days). 	

Reporting Dime	nsions:	Excluded Situations:
By unique UNE or UNE combinations requested by the CLECs		• None
Data Retained Relating To CLEC Experience:		Data Retained Relating to ILEC Performance:
 Month Element or Element Combination Identification Result for Agreed Upon Availability Parameter 		To Be Determined
Performance Standard in Absence of ILEC Results:	If the ILEC does not deliver direct comparative results or the ILEC has not produced benchmark levels based upon a verifiable study of its own operation as agreed to with the CLEC, then result(s) related to the CLEC operation should be provided according to the following levels of performance in order to provide the CLEC with a meaningful opportunity to compete: • Performance Standards in this area are yet to be published.	

Appendix A: Reporting Dimensions

Standard Service Groupings:	 Resold Residence POTS Resold Business POTS Resold Residence ISDN Resold Business ISDN Resold Centrex/Centrex-like Resold PBX trunks Resold Channelized T1.5 service Other Resold Services UNE Platform (at least DS0 loop + local switch + transport elements) UNE Channelized DS1 (DS1 loop + multiplexing) Unbundled DS0 Loop Unbundled DS1 Loop Other Unbundled Loops Unbundled Switch Other UNEs
Standard Order Activities:	 New Service Installations Service Migrations Without Changes Service Migrations With Changes Local Number Porting Move and Changes Activities Feature Changes Service Disconnects
Pre-Ordering Query Types:	 Due Date Reservation Feature Function Availability Facility Availability Street Address Validation Service Availability Information Appointment Scheduling Customer Service Records Telephone Number Rejected of Failed Queries (regardless of type)
Transmission Quality Parameter:	 Subscriber Loop Loss Signal to Noise Ratio Idle Channel Circuit Noise Loop-Circuit Balance Circuit Notched Noise Attenuation Distortion

Appendix A: Reporting Dimensions

Speed of Connection Parameters:	 Dial Tone Delay Post Dial Delay Call Completion/Delivery Rate
Reliability Parameters:	 Network Incident Affecting >5000 Blocked Calls Network Incidents Affecting >100,000 Blocked Calls
Disposition and Cause:	 Out of Service No Dispatch Out of Service With Dispatch Hold Open for Monitoring Customer Premise Equipment Trouble (including Inside Wire) No Trouble Found Central Office Equipment Interoffice Facilities Loop/Access Line All Other Troubles No access "Out of Service" means that the customer has no dial tone. "Dispatch" means that ILEC repair personnel must be dispatched to a location outside an ILEC building (to customer premises or other off-site facilities) to resolve the trouble.

Appendix B: Glossary

Α

Abandoned Call:

An abandoned call occurs when the caller hangs up after the call has been delivered,

but before the receiving party has answered the call.

Attenuation Distortion:

Attenuation Distortion" should measure the variation in loss at different frequencies

across the voice frequency spectrum (200Hz - 3400 Hz).

В

Call Completion Rate

The call completion rate for CLEC customers is determined by calculating the total number of calls placed by CLEC customers that were completed to the calling destination. The number of completed calls is then divided by the total # of call

attempts made by CLEC customers during the reporting period.

Call Delivery Rate

The <u>call delivery rate</u> for CLEC customers is determined by calculating the total # of calls received by CLEC customers. This number of delivered calls is then divided by the total # of call attempts received by the ILEC for termination CLEC customers.

Completion:

A "completion" is the transaction that the ILEC sends to the CLEC to inform the CLEC

that a requested order has been completed.

D

Data Response:

Dial Tone Delay:

The "Dial tone delay" is determined for each trial completed during the reporting period by computing the time that transpires from a customer's going off-hook and the receipt of dial tone from the servicing central office. It should be measured in seconds and tenths of seconds. "Post dial delay" for each trial is determined for each trial completed during the reporting period by computing the time that transpires from when the last digit is dialed until a valid response is received by the customer. It should be

measured in seconds and tenths of seconds

E

F

FOC

A "FOC" is a Firm Order Confirmation notification, which is the transaction that the

ILEC will send to the CLEC to confirm that an order can be completed.

Appendix B: Glossary

G

Η

Held Orders:

"Held orders" are orders that the ILEC has confirmed (an FOC was returned to the

CLEC) and that are overdue.

I

Idle Channel Circuit Noise The idle channel circuit noise for each trial is determined for each trial completed during the reporting month by computing the difference between the noise that exists in the channel when no signals are present and the reference noise. The resulting accumulated idle channel circuit noise for all trials is divided by the total # of trials completed during the reporting period.

Interface:

The "interface" is the ILEC interface that allows the CLEC to access the ILEC system

Internal or

Administrative Use:

J

Jeopardy

A "jeopardy" is a transaction that the ILEC sends to the CLEC to inform the CLEC that

a previously FOC'd order cannot be processed as specified in the original FOC.

K

Loop-circuit Balance

"Loops-circuit balance" should be measured in decibels and tenths of decibels above the reference noise. "Attenuation Distortion" should measure the variation in loss at different frequencies across the voice frequency spectrum (200Hz - 3400 Hz). It should be measured from the NID to the switch, and from the switch to the NID. It is measured by subtracting the loss at 1004 Hz from the loss at the frequency of interest.

and should be reflected in tenths of decibels.

M

N

Network Incident:

A "Network incident" is an unplanned network occurrence that results in blocked calls

O

Appendix B: Glossary Local Competition Users Group

Appendix B: Glossary

P

Post Dial Delay:

"Post dial delay" is the time that transpires from when the last digit is dialed until a

valid response is received by the customer

Q

R

Receipt of Order:

Return of Valid Completion:

S

Signal to Noise Ratio:

Signal to Noise ratio is the ratio of usable signal being transmitted to the noise or

undesired signal.

Subscriber Loop Loss:

The <u>subscriber loop loss</u> is by computing the difference between the strength of the signal as it enters the loop and the strength of the transmitted signal. Signal strength is

measured in decibels rounded to the nearest tenth of a decibel. The resulting

accumulated decimal strength is divided by the total number of trials completed during

the reporting period.

Subsequent Reports:

Customer trouble reports where the customer calls to check on the status of a previous

trouble report (initial or repeat) that has not been cleared (closed or resolved) at the

time of the call.

Syntax Reject:

A "syntax reject" is the transaction that an ILEC will return to a CLEC when a the

CLEC has submitted an order transaction that the ILEC's gateway cannot process due

to violation of published rules for formatting or content.

System:

The "system" is the combination of ILEC gateways, communications links, hardways

and software that, in combination, is used to perform or support business functions

execute supporting transactions.

T

Service Quality Measurements

Measurements Detail

Appendix B: Glossary

Troubles

"Troubles" include all reported difficulties with performance of resold services or UNEs, whether the report is the initial or a repeated report, that the CLEC refersto the ILEC repair process/interface for resolution. Subsequent reports are categorized seperately.

Trouble Appointment:

A "trouble appointment" is a commitment made by the ILEC (to CLEC or to customer)

to resolve a trouble.

U

V

W

X

Y

Z